

Comp115: Databases

File Organization & Indexing

Instructor: Manos Athanassoulis

Guest Lecture

February 23rd



Niv Dayan, Harvard University

File Organization & Indexing

Page Layout (NSM, DSM, PAX)


Readings: Chapter 8.1, 8.4, 9.6, 9.7, PAX paper

File organization (Heap & sorted files)

Index files & indexes

Index classification

Storage Hierarchy



Memory, Disks

Storage Hierarchy:
cache, RAM, disk, tape, ...

RAM is (usually) not enough

Unit of buffering in RAM:
“Page” or “Frame”


Unit of interaction with disk:
“Page” or “Block”

“Locality” and sequential accesses →
good disk performance

Buffer pool management

Slots in RAM to hold Pages

Policy to move Pages between RAM & disk



Today: File Storage

Transfer unit of a page is OK when doing I/O,
but higher levels of DBMS operate on *records*,
and *files of records*


Next topics

organize records within pages

keep pages of records on disk

support operations on files of records efficiently


Record Formats: Fixed Length



information about field types same for all records in a file; stored in *system catalogs*

finding i^{th} field done via arithmetic

Page Formats: Fixed Length Records




record id = <page id, slot #>

packed: moving records for free space


management changes rid; may not be acceptable.

Variable Length is more complicated

Two alternative formats (# fields is fixed):




Fields Delimited by Special Symbols



Array of Field Offsets

- ➡ Offset approach: **generally considered superior**
 - direct access to i^{th} field and efficient storage of nulls

“Slotted Page” for Variable Length Records




(1) record id = $\langle \text{page id}, \text{slot \#} \rangle$

(2) can move records on page without changing rid; so, attractive for fixed-length records too

(3) page is full when data space and slot array meet

Decomposition Storage Model (DSM)



Decompose a relational table to sub-tables per attribute

Why (and when) is this beneficial?

✓ Saves IO by bringing only the relevant attributes




Partition Attributes Across (PAX)

Middle ground?



Decompose a slotted-page internally in mini-pages per attribute

- ✓ Cache-friendly
- ✓ Compatible with slotted-pages
- ✓ Brings only relevant attributes to cache



File Organization & Indexing

Page Layout (NSM, DSM, PAX)

File organization (Heap & sorted files)

Readings: Chapter 8.4

Index files & indexes

Index classification

Files

with traditional slotted pages

FILE: A collection of pages, each containing a collection of records.

Must support:

- insert/delete/modify record

- read a particular record (specified using *record id*)

- scan all records (possibly with some conditions on the records to be retrieved)

Alternative File Organizations

Many alternatives exist, *each good for some situations, and not so good in others:*

- Heap files: Suitable when typical access is a file scan retrieving all records.
- Sorted Files: Best for retrieval in some order, or for retrieving a “range” of records.
- Index File Organizations: (will cover shortly..)


Heap (Unordered) Files

Simplest file structure

contains records in no particular order

As file grows and shrinks, disk pages are allocated and de-allocated


Heap File Implemented Using Lists



the header page id and Heap file name must
be stored someplace

each page contains 2 “pointers” plus data

Heap File Using a Page Directory



The entry for a page can include the number of free bytes on the page.

The directory is a collection of pages; linked list implementation is just one alternative.

Much smaller than linked list of all HF pages!

Heap files vs. Sorted files

Quick+dirty cost model: # of disk I/O's

For simplicity, ignore:

- CPU costs

- Gains from pre-fetching and sequential access

Average-case analysis; based on several simplistic assumptions.

Good enough to show the overall trends!

Some Assumptions in the Analysis

Single record insert and delete.

Equality search - exactly one match (e.g., search on key)

Question: what if more or fewer???

Heap Files:

Insert always appends to end of file.

Sorted Files:

Files compacted after deletions.

Search done on file-ordering attribute.

Cost of Operations (in #of I/Os)



B: Number of data pages

	Heap File	Sorted File	notes...
Scan all records	B	B	
Equality Search	0.5B	$\log_2 B$	<i>assumes exactly one match!</i>
Range Search	B	$(\log_2 B) +$ $(\# \text{match pages})$	
Insert	2	$(\log_2 B) + 2 * (B/2)$	<i>must R & W</i>
Delete	$0.5B + 1$	$(\log_2 B) + 2 * (B/2)$	<i>must R & W</i>

System Catalogs

For each relation:

- name, file name, file structure (e.g., Heap file)

- attribute name and type, for each attribute

- index name, for each index

- integrity constraints

For each index:

- structure (e.g., B+ tree) and search key fields

For each view:

- view name and definition

Plus stats, authorization, buffer pool size, etc.

Catalogs are themselves stored as relations!

Attr_Cat(attr_name, rel_name, type, position)

Candidate
keys?



attr_name	rel_name	type	position
attr_name	Attribute_Cat	string	1
rel_name	Attribute_Cat	string	2
type	Attribute_Cat	string	3
position	Attribute_Cat	integer	4
sid	Students	string	1
name	Students	string	2
login	Students	string	3
age	Students	integer	4
gpa	Students	real	5
fid	Faculty	string	1
fname	Faculty	string	2
sal	Faculty	real	3

→ Try querying the PostgreSQL catalogues (in SQL!)

File Organization & Indexing

Page Layout (NSM, DSM, PAX)

File organization (Heap & sorted files)

Index files & indexes

Readings: Chapter 8.2, 8.3.2

Index classification

Indexes

retrieve records searching *in one or more fields*:

Find all students in the “CS” department

Find all students with a gpa > 3


an *index* on a file

speeds up selections on the *search key fields* for the index

any subset of the fields of a relation can be the search key
for an index on the relation

search key is **not** the same as *key* (does **not** have to be unique).

Example: Simple Index on GPA



An index contains a collection of **data entries**, and supports efficient retrieval of **records** matching a given **search condition**

Index Search Conditions

Search condition =

<search key, comparison operator>

Examples...

(1) Condition: Department = “CS”

- Search key: “CS”
- Comparison operator: equality (=)

(2) Condition: GPA > 3

- Search key: 3
- Comparison operator: greater-than (>)

Index Classification

Representation of data entries in index

i.e., what is at the bottom of the index?

3 alternatives here

Clustered vs. Unclustered

Primary vs. Secondary

Dense vs. Sparse

Single Key vs. Composite

Indexing technique

Tree-based, hash-based, other

Alternatives for Data Entry k^* in Index

1. Actual data record (with key value k)
2. $\langle k, \text{rid of matching data record} \rangle$
3. $\langle k, \text{list of rids of matching data records} \rangle$

Choice is orthogonal to the indexing technique.

- Examples of indexing techniques: B+ trees, hash-based structures, R trees, ...
- Typically, index contains auxiliary info that directs searches to the desired data entries

Can have multiple (different) indexes per file.

- E.g. file sorted on *age*, with a hash index on *name* and a B+tree index on *salary*.

Alternatives for Data Entries (Contd.)

Alternative 1:

Actual data record (with key value k)

- If this is used, index structure is a file organization for data records (like Heap files or sorted files).
- At most one index on a given collection of data records can use Alternative 1.
- This alternative saves pointer lookups but can be expensive to maintain with insertions and deletions.

Alternatives for Data Entries (Contd.)

Alternative 2

<k, rid of matching data record>

and Alternative 3

<k, list of rids of matching data records>

- Easier to maintain than Alternative 1.
- If more than one index is required on a given file, at most one index can use Alternative 1; rest must use Alternatives 2 or 3.
- Alternative 3 more compact than Alternative 2, but leads to *variable sized data entries* even if search keys are of fixed length.
- Even worse, for large rid lists the data entry would have to span multiple pages!

File Organization & Indexing

Page Layout (NSM, DSM, PAX)

File organization (Heap & sorted files)

Index files & indexes

Index classification

Readings: Chapter 8.3, 8.5

Where were we?: Index Classification

Representation of data entries in index

i.e., what is at the bottom of the index?

3 alternatives here



Clustered vs. Unclustered

Primary vs. Secondary

Dense vs. Sparse


Single Key vs. Composite

Indexing technique

Tree-based, hash-based, other

Index Classification - clustering

Clustered vs. unclustered: If order of **data records** is the same as, or “close to”, order of **index data entries**, then called *clustered index*.



Index Classification - clustering

A file can have a clustered index on at most one search key.

Cost of retrieving data records through index varies *greatly* based on whether index is clustered!


Note: Alternative 1 implies clustered, *but not vice-versa*.

Clustered vs. Unclustered Index

Suppose that Alternative (2) is used for data entries, and that the data records are stored in a Heap file.

To build clustered index, first sort the Heap file (with some free space on each page for future inserts).

Overflow pages may be needed for inserts. (Thus, order of data recs is “close to”, but not identical to, the sort order.)



Clustered vs. Unclustered Index

Cost of retrieving records found in range scan:

Clustered: cost = # pages in file w/matching records

Unclustered: cost \approx # of matching index data entries

What are the tradeoffs????

Clustered Pros:

- Efficient for range searches

- May be able to do some types of compression

Clustered Cons:

- Expensive to maintain (on the fly or sloppy with reorganization)

Primary vs. Secondary Index

Primary: index key includes the file's primary key

Secondary: any other index

Sometimes confused with Alt. 1 vs. Alt. 2/3

Primary index *never contains duplicates*

Secondary index *may contain duplicates*

If index key contains a candidate key, no duplicates => **unique** index

Dense vs. Sparse Index


Dense: at least one data entry per key value

Sparse: an entry per data page in file

Every sparse index is clustered!

Sparse indexes are smaller; however, some useful optimizations are based on dense indexes.

Alternative 1 always leads to dense index.



Composite Search Keys

Search on *combination* of fields.

Equality query: Every field is equal to a constant value.

E.g. wrt $\langle \text{sal}, \text{age} \rangle$ index:

age=12 and sal =75

Range query: Some field value is not a constant.


E.g.:

age =12; or age=12 and sal > 20

Data entries in index sorted by search key for range queries

“Lexicographic” order

Examples of composite key indexes using lexicographic order.



Tree vs. Hash-based index

Hash-based index

Good for equality selections.

File = a collection of buckets. Bucket = *primary page* plus 0 or more *overflow pages*

Hash function h: $h(r.search_key) = \text{bucket in which record } r \text{ belongs}$

Tree-based index

Good for range selections.

Hierarchical structure (Tree) directs searches

Leaves contain data entries sorted by search key value

B+ tree: all root->leaf paths have equal length (*height*)

Course Evaluation

you will have a few minutes to fill in the course evaluation of the forms at the end of the class

tomorrow after the guest lecture talk

Summary

variable length record format with field offset directory
supports direct access to i^{th} field and null values

slotted page format supports variable length records and
allows records to move on page

file layer keeps track of pages in a file, and supports
abstraction of a collection of records
also tracks availability of free space

catalog relations store metadata about relations, indexes and
views (*info common to all records in a given collection*)

Summary (Cont.)

various file organizations, each appropriate in some situation

if selection queries are frequent, sorting the file or building an index is important

index is a collection of data entries plus a way to quickly find entries with given key values.

- (i) hash-based good for equality search
- (ii) sorted files and tree-based indexes best for range search; also good for equality search

(files not kept sorted in practice; B+ tree more common)

Summary (Cont.)

data entries in index can be: (i) **actual data records**, (ii) **<key, rid>** pairs, or (iii) **<key, rid-list>** pairs.

[orthogonal to *indexing structure (i.e. tree, hash, etc.)*]

usually have several indexes on a given file of data records, each with a different search key

index classification

clustered vs. unclustered, primary vs. secondary, sparse vs. dense, single key vs. composite key
differences have consequences for utility/performance